

PATENT ABSTRACTS OF JAPAN

(11)Publication number : 11-211920

(43)Date of publication of application : 06.08.1999

(51)Int.Cl. G02B 6/10
G02B 6/22

(21)Application number : 10-016020

(71)Applicant : SHOWA ELECTRIC WIRE & CABLE
CO LTD
TAKUETSU KOSEN KOFUN
YUGENKOSHI

(22)Date of filing : 28.01.1998


(72)Inventor : MURAKAMI YUICHI
MORISHITA YUICHI
MUTA KENICHI
SHU JINKO
KO KYODAI

(54) PHOTSENSITIVE FIBER

(b/)Abstract:

PROBLEM TO BE SOLVED: To suppress the abnormal loss exclusive of a reflection zone occurring in the discordance of a mode field diameter.

SOLUTION: This photosensitive fiber comprises a core 1 and a clad 4 consisting of a clad inner layer 2 deposited around the core 1 and a clad outer layer 3 and is formed with a grating by sensitization at least the core 1. In such a case, the core 1 and the clad inner layer 2 contains a photosensitive dopant for increasing a refractive index and the core 1 contains a nonphotosensitive dopant for increasing the refractive index. The clad inner layer 2 contains a nonphotosensitive dopant for decreasing the refractive index.



LEGAL STATUS

[Date of request for examination] 22.05.2001

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]

[Number of appeal against examiner's decision of rejection]

[Date of requesting appeal against examiner's
decision of rejection]

[Date of extinction of right]

Copyright (C); 1998,2000 Japan Patent Office

